

Conformity certificate

Date: 14-08-2019

We hereby attest that following products are made of materials intended for food contact.


<b>Products made of</b>		<b>Part of the product in contact with food</b>
Stainless Steel	X	The stainless steel rod for item 58530 and 58531
Plastics	X	Plastic coating
Wood	X	

Products are listed on next page.

- These products are in compliance with European regulation EC/1935/2004 of October the 27th and European regulation EC/2023/2006 of December the 22th
- These products are in compliance with regulation No 10/2011/EC for plastic materials and articles intended to come into contact with food (if made of plastic)
- These products are in compliance with Danish law BEK 1248 of October 30th, 2018.

Should you have any questions, do not hesitate to contact us.

ROSENDAHL DESIGN GROUP A/S  
Slotsmarken 1  
DK-2970 Hørsholm



Signed by:

Rosendahl Design Group - Slotsmarken 1 – DK-2970 Hørsholm



ROSENDAHL  
DESIGN GROUP

Product number	Product name	Photo
58501	BW Tray, Felicia, black, oval, 32x55 cm	
58505	BW Tray, Papagena, blue, oval, 32x55 cm	
58511	BW Tray, Rosalinde, black, Ø31 cm	
58512	BW Tray, Amelia, green, Ø31 cm	
58523	BW Tray, Papagena, red, Ø46 cm	
58525	BW Tray, Rosamunde, blue, Ø46 cm	
58530	BW Etagere, Rosalinde, black	

Rosendahl Design Group - Slotsmarken 1 – DK-2970 Hørsholm



ROSENDAHL  
DESIGN GROUP

Product number	Product name	Photo
58531	BW Etagere, Rosalinde, blue	
58552	BW Board, Rosegarden, green, 20x40 cm	
58555	BW Board, Rosalinde, blue, 20x40 cm	

Rosendahl Design Group - Slotsmarken 1 – DK-2970 Hørsholm



ROSENDAHL  
DESIGN GROUP

<b>Product information:</b>	<b>Yes</b>	<b>No</b>	<b>Remarks</b>
The Product can be used for all types of food and all types of process conditions (under normal and foreseeable condition of use):		X	
<b>Suitable for:</b>			If limit (to be mentioned)
Aqueous food		X	
Acidic foods		X	
Alcoholic foods		X	
Fatty foods		X	
Dry foods	X		
The oven		X	
The microwave		X	
The Dishwasher	X		
Other		X	
<b>Test/material/temperature:</b>			
Total migration test performed	X		
Specific migration tests performed	X		
<b>Temperature stable at max and min temperature:</b>	-10° C - 55° C		