



ROSENDAHL
DESIGN GROUP

Conformity certificate

Date: 15-08-2019

We hereby attest that following products are made of materials intended for food contact.

Products made of:

Glass

Products are listed on next page.

- These products are in compliance with European regulation EC/1935/2004 of October the 27th and European regulation EC/2023/2006 of December the 22th
- These products are in compliance with Danish law BEK 1248 of October 30th, 2018.
- These products are in compliance with the Norwegian regulation FOR 1993-12-21 no. 1381.(if made of glass, ceramics and porcelain).
- These products are in compliance with the US FDA requirements.
- These products are in compliance with the US California prop 65 requirements.

Should you have any questions, do not hesitate to contact us.

ROSENDAHL DESIGN GROUP A/S
Slotsmarken 1
DK-2970 Hørsholm

Signed by:

Rosendahl Design Group - Slotsmarken 1 – DK-2970 Hørsholm



ROSENDAHL
DESIGN GROUP

Product number	Product name	Photo
4303379	Cabernet Cocktail glas, 1 pc., 29 cl	
4303380	Cabernet Wine glass, 1 pcs., 25 cl	
4303382	Cabernet Wine glass, 1 pcs., 35 cl	
4303384	Cabernet Wine glass, 1 pcs., 50 cl	
4303386	Cabernet Carafe, 150 cl	
4303387	Cabernet Schnapps glass, 1 pcs., 3,5 cl	
4303389	Cabernet Beer glass, 1 pcs., 55 cl	

Rosendahl Design Group - Slotsmarken 1 – DK-2970 Hørsholm



ROSENDAHL
DESIGN GROUP

Product number	Product name	Photo
4303391	Cabernet Champagne, 1 pcs., 32 cl	
4303392	Cabernet Cognac, 1 pcs., 63 cl	
4303393	Cabernet Water glass with stem, 1 pcs., 36 cl	
4303394	Cabernet Port/sherry glass, 1 pcs., 28 cl	
4303396	Cabernet water glass	
4303399	Cabernet water carafe, 1,5 L	



ROSENDAHL
DESIGN GROUP

Product information:	Yes	No	Remarks/restrictions
The Product can be used for all types of food and all types of process conditions (under normal and foreseeable condition of use):		X	
Suitable for:			If limit (to be mentioned):
Aqueous food	X		
Acidic foods	X		
Alcoholic foods	X		
Fatty foods	X		
Dry foods	X		
The oven:		X	
The microwave:		X	
The Dishwasher:	X		At max 55°C
Other		X	
Test/temperature:			
Specific migration tests performed	X		
Temperature stable at max and min temperature:	0°C - 55°C		