

Declaration of Conformity

Date: 15-02-2023

We hereby attest that following products are made of materials intended for food contact.

<b>Products made of</b>		<b>Part of the product in contact with food</b>
Glass	X	The 1 L inner bottle
Plastics	X	The PP body spout and the PP lid
Silicone	X	The rings in the lid and between the inner bottle and body
Stainless Steel	X	

Products are listed on next page.

- These products are in compliance with European regulation EC/1935/2004 of October the 27th and European regulation EC/2023/2006 of December the 22th
- These products are in compliance with regulation No 10/2011/EC for plastic materials and articles intended to come into contact with food (if made of plastic)
- These products are in compliance with Danish law BEK 681 of May 25th, 2020.

Signed by:

ROSENDAHL DESIGN GROUP A/S  
Slotsmarken 1  
DK-2970 Hørsholm



Rosendahl Design Group - Slotsmarken 1 - DK-2970 Hørsholm




ROSENDAHL  
DESIGN GROUP

Product number	Product name	Photo
693109	Hammershøi Thermos jug 1,0 l warm grey	
693106	Kähler Hammershøi Thermos jug 1,0 L, nude	
693104	Kähler Hammershøi Thermos jug 1,0 L, olive green	
693101	Hammershøi Thermos jug 1,0 l, anthracite grey(17221)	
693100	Hammershøi Thermos jug 1,0 l white (17220)	

Rosendahl Design Group - Slotsmarken 1 - DK-2970 Hørsholm



ROSENDAHL  
DESIGN GROUP

Product number	Product name	Photo
693102	Hammershøi Thermos jug 1,0 l indigo (17222)	

**Rosendahl Design Group - Slotsmarken 1 - DK-2970 Hørsholm**



ROSENDAHL  
DESIGN GROUP

<b>Product information:</b>	<b>Yes</b>	<b>No</b>	<b>Remarks</b>
The Product can be used for all types of food and all types of process conditions (under normal and foreseeable condition of use):		X	
<b>Suitable for:</b>			If limit (to be mentioned)
Aqueous food	X		
Acidic foods	X		
Alcoholic foods	X		
Fatty foods		X	
Dry foods		X	
The oven		X	
The microwave		X	
The Dishwasher		X	
Other		X	
<b>Test/material/temperature:</b>			
Total migration test performed	X		
Specific migration tests performed	X		
Dual use additives(plastic)		X	
Functional barrier (Plastic)		X	
<b>Temperature stable at max and min temperature:</b>	0°C – 100°C		