

Conformity certificate

Date: 15-02-2023

We hereby attest that following products are made of materials intended for food contact.

Products made of:

Glass
Plastic (Lid for GC Recycled water carafe)

Products are listed on next page.

- These products are in compliance with European regulation EC/1935/2004 of October the 27th and European regulation EC/2023/2006 of December the 22th
- These products are in compliance with Danish law BEK 681 of May 25th, 2020.
- These products are in compliance with the Norwegian regulation FOR 1993-12-21 no. 1381. (if made of glass, ceramics and porcelain).
- These products are in compliance with regulation No 10/2011/EC for plastic materials and articles intended to come into contact with food (if made of plastic)

Should you have any questions, do not hesitate to contact us.

Signed by:








ROSENDAHL DESIGN GROUP A/S
Slotsmarken 1
DK-2970 Hørsholm

Rosendahl Design Group - Slotsmarken 1 - DK-2970 Hørsholm




ROSENDAHL
DESIGN GROUP

Product number	Product name	Photo
25378	GC Recycled Water carafe 90 cl clear green	
25370	GC Recycled Dessert plate Ø16 cm clear green 2 pcs.	
25377	GC Recycled Tumbler 22 cl clear green 4 pcs.	
25369	GC Recycled Tumbler 26 cl recycled glass tone 4 pcs.	
25374	GC Recycled Café glass 37 cl recycled glass tone 2 pcs	

Rosendahl Design Group - Slotsmarken 1 - DK-2970 Hørsholm



ROSENDAHL
DESIGN GROUP

Product number	Product name	Photo
25379	GC Recycled Glass Bowl Ø15 cm recycled glass tone 2 pcs.	

Rosendahl Design Group - Slotsmarken 1 - DK-2970 Hørsholm



ROSENDAHL
DESIGN GROUP

Product information:	Yes	No	Remarks/restrictions
The Product can be used for all types of food and all types of process conditions (under normal and foreseeable condition of use):		X	
Suitable for:			If limit (to be mentioned):
Aqueous food	X		
Acidic foods	X		
Alcoholic foods	X		
Fatty foods	X		
Dry foods	X		
The oven:		X	
The microwave:	X		Only glass part
The Dishwasher:	X		At max 55°C
Other	X		Wash before first use.
Test/temperature:			
Specific migration tests performed	X		
Temperature stable at max and min temperature:	0°C - 55°C		

Rosendahl Design Group - Slotsmarken 1 - DK-2970 Hørsholm