

## **Declaration of Conformity**

Date: 01-03-2022

We hereby attest that following products are made of materials intended for food contact.

## Products made of:

Porcelain

Products are listed on next page.

- These products are in compliance with European regulation EC/1935/2004 of October the 27th and European regulation EC/2023/2006 of December the 22th
- > These products are in compliance with Danish law BEK 681 of May 25th, 2020.
- These products are in compliance with the Norwegian regulation FOR 1993-12-21 no. 1381.(if made of glass, ceramics and porcelain).

Should you have any questions, do not hesitate to contact us.

Signed by:



Rosendahl Design Group - Slotsmarken 1 – DK-2970 Hørsholm

Version 9 – Gyldig fra: 04.02.2019



Product number	Product name	Photo
25410	GC Bowl Ø15 cm white	
20301	GC Plate, 30 cm	
20310	GC Plate, 27 cm	
20320	GC Plate, 23 cm	
20325	GC Pasta plate, 25 cm	***
20330	GC Deep plate, 19 cm	

Version 9 – Gyldig fra: 04.02.2019



Product number	Product name	Photo
20340	GC Plate, 19 cm	
20365	GC Milk jug, 0,4 l	
20368	GC Jar with lid	
20370	GC Sauceboat, 0,7 I	Æ
20390	GC Bowl, 13 cm	
20391	GC Bowl, 17 cm	

Version 9 – Gyldig fra: 04.02.2019



Product number	Product name GC Bowl, 26 cm	Photo
20392	GC Bowl, 26 cm	
20393	GC Bowl, 21 cm	
20455	GC Teapot, 1,4 I	
20585	GC Eggcup	
20312	GC Oval plate 23cm	
20313	GC Oval plate 30 cm	

Version 9 – Gyldig fra: 04.02.2019



<b>- - - - -</b>	Yes		
Product information:		No	Remarks/restrictions
The Product can be used for all types of			
food and all types of process conditions		Х	
(under normal and foreseeable condition			
of use):			
Suitable for:			If limit (to be mentioned):
Aqueous food			
	X		
Acidic foods			
	Х		
Alcoholic foods			
Fatter Carada	X		
Fatty foods	Х		
Dry foods			
-	Х		
The oven:		X	Not suitable for oven use
The microwave:			
	X		
The Dishwasher:			
	Х		
Other		X	
Test/temperature:			
Specific migration tests performed			In compliance with the
	X		Norwegian limit for lead,
			cadmium and barium.
Temperature stable at min and max		- 100°	
temperature:			

Version 9 – Gyldig fra: 04.02.2019