

Declaration of Conformity

Date: 5-2-2020

We hereby attest that following products are made of materials intended for food contact.


Products made of		Part of the product in contact with food
Glass	X	The glass body
Plastics	X	The lid in tritan material
Silicone	X	The silicone ring in the lid

Products are listed on next page.

- These products are in compliance with European regulation EC/1935/2004 of October the 27th and European regulation EC/2023/2006 of December the 22th
- These products are in compliance with regulation No 10/2011/EC for plastic materials and articles intended to come into contact with food (if made of plastic)
- These products are in compliance with Danish law BEK 1248 of October 30th, 2018.
- These products are in compliance with the Norwegian regulation FOR 1993-12-21 no. 1381.(if made of glass, ceramics and porcelain).
- These products are in compliance with the US FDA requirements.
- These products are in compliance with the US California prop 65 requirements.

Should you have any questions, do not hesitate to contact us.

ROSENDAHL DESIGN GROUP A/S  
Slotsmarken 1  
DK-2970 Hørsholm




Signed by:

Rosendahl Design Group - Slotsmarken 1 – DK-2970 Hørsholm



ROSENDAHL  
DESIGN GROUP

Product number	Product name	Photo
25371	GC glass jug 1,3L with lid	

Rosendahl Design Group - Slotsmarken 1 – DK-2970 Hørsholm



ROSENDAHL  
DESIGN GROUP

<b>Product information:</b>	<b>Yes</b>	<b>No</b>	<b>Remarks</b>
The Product can be used for all types of food and all types of process conditions (under normal and foreseeable condition of use):		X	
<b>Suitable for:</b>			If limit (to be mentioned)
Aqueous food	X		
Acidic foods	X		Limit: up to pH 4,5
Alcoholic foods	X		Limit: 50%
Fatty foods		X	
Dry foods		X	
The oven		X	
The microwave		X	
The Dishwasher	X		
Other	X		Cannot contain hot liquids
<b>Test/material/temperature:</b>			
Total migration test performed	X		
Specific migration tests performed	X		
Dual use additives(plastic)		X	
Functional barrier (Plastic)		X	
<b>Temperature stable at max and min temperature:</b>	0°C - 55°C		