

Conformity certificate

Date: 21-08-2019

We hereby attest that following products are made of materials intended for food contact.

Products made of:

Glass

Products are listed on next page.

- ➤ These products are in compliance with European regulation EC/1935/2004 of October the 27th and European regulation EC/2023/2006 of December the 22th
- ➤ These products are in compliance with Danish law BEK 1248 of October 30th, 2018.
- ➤ These products are in compliance with the Norwegian regulation FOR 1993-12-21 no. 1381.(if made of glass, ceramics and porcelain).
- > These products are in compliance with the US FDA requirements.
- > These products are in compliance with the US California prop 65 requirements.

Should you have any questions, do not hesitate to contact us.

ROSENDAHL DESIGN GROUP A/S

Slotsmarken 1
DK-2970 Hørsholm

Jegar Farmer Chréstoff

Signed by:

Rosendahl Design Group - Slotsmarken 1 - DK-2970 Hørsholm

Version 5 – Gyldig fra: 12.8.2016 Dato: 11.8.2016 Godkendt af: JFC



Product number	Product name	Photo
25043	GC Water carafe, 0,9 I	1
25044	GC Carafe, 0,75 I	
25155	GC Glass bowl set, 3 pcs.	
25450	GC Glass bowl, 4 pcs., 15 cm	
25451	GC Snackbowl, 4 pcs., 14 cm	
25452	GC Glass bowl, 26 cm	
25453	GC Glass bowl, medium	

Version 5 – Gyldig fra: 12.8.2016 Dato: 11.8.2016 Godkendt af: JFC



Product number	Product name	Photo
25455	GC Glass bowl, large	
25457	GC Dessert plate, 4 pcs.	S
25460	GC Serving Dish, 32 cm	
25470	GC Glass plate, 4 pcs., 20 cm	
25471	GC Glass plate, 4 pcs., 20 cm	
25480	GC Egg cup, 2 pcs.	



Product information:	Yes	No	Remarks/restrictions
The Product can be used for all types of food and all types of process conditions (under normal and foreseeable condition of use):		X	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Suitable for:			If limit (to be mentioned):
Aqueous food	Х		
Acidic foods	Х		
Alcoholic foods	Х		
Fatty foods	Х		
Dry foods	Х		
The oven:		Х	Not applicable
The microwave:	Х		
The Dishwasher:	Х		
Other		Х	
Test/temperature:			
Specific migration tests performed	Х		
Temperature stable at max and min temperature:	0°C -	- 55°C	

Dato: 11.8.2016 Godkendt af: JFC