

Declaration of Conformity

Date: 15-02-2023

We hereby attest that following products are made of materials intended for food contact.

Products made of		Part of the product in contact with food
Stainless Steel	X	The body
Plastics	X	The PP cup and lid
Silicone	X	Rings in the lid

Products are listed on next page.

- ➤ These products are in compliance with European regulation EC/1935/2004 of October the 27th and European regulation EC/2023/2006 of December the 22th
- ➤ These products are in compliance with regulation No 10/2011/EC for plastic materials and articles intended to come into contact with food (if made of plastic)
- > These products are in compliance with Danish law BEK 681 of May 25th, 2020.
- > These products are in compliance with the US FDA requirements.

Should you have any questions, do not hesitate to contact us.

Signed by:

ROSENDAHL DESIGN GROUP A/S Slotsmarken 1 DK-2970 Hørsholm

Rosendahl Design Group - Slotsmarken 1 - DK-2970 Hørsholm



Product number	Product name	Photo
27133	GC Thermos flask 65 cl, grey	
27137	GC Thermos flask 65 cl, white	
27150	GC Thermos flask 65 cl, sand	
27151	GC Thermos flask 65 cl, terracotta	
27152	GC Thermos flask 65 cl, olive green	P
27153	GC Thermos flask 65 cl, dark grey	•
27154	GC Thermos flask 65 cl, ochre	(P)

Rosendahl Design Group - Slotsmarken 1 - DK-2970 Hørsholm



Product number	Product name	Photo
27158	GC Thermos flask 65 cl lavender	



Product information:	Yes	No	Remarks
The Product can be used for all types of food and all types of process conditions (under normal and foreseeable condition of use):		X	
Suitable for:			If limit (to be mentioned)
Aqueous food	Х		
Acidic foods	Х		If yes, limit: up to pH 4,5
Alcoholic foods	Х		If yes, limit:up to 50%
Fatty foods		Х	
Dry foods		Х	
The oven		Х	
The microwave		Х	
The Dishwasher	X		If yes, limit: max 55°C
Other		Х	If Yes, which:
Test/material/temperature:			
Total migration test performed	Х		
Specific migration tests performed	Х		
Dual use additives(plastic)	Х		No restriction according to the EU 10/2011/EC
Functional barrier (Plastic)		Х	
Temperature stable at min and max temperature:	Body: hot filled (100°C), left for 24H Lid and cup: 0°C - 100°C for 15 min, followed by 70°C/2H, followed by 40°C/24H.		