

Conformity certificate

Date: 21-08-2019

We hereby attest that following products are made of materials intended for food contact.

**Products made of:**


Glass

Products are listed on next page.

- These products are in compliance with European regulation EC/1935/2004 of October the 27th and European regulation EC/2023/2006 of December the 22th
- These products are in compliance with Danish law BEK 1248 of October 30th, 2018.
- These products are in compliance with the Norwegian regulation FOR 1993-12-21 no. 1381.(if made of glass, ceramics and porcelain).
- These products are in compliance with the US FDA requirements.
- These products are in compliance with the US California prop 65 requirements.

Should you have any questions, do not hesitate to contact us.

ROSENDAHL DESIGN GROUP A/S  
Slotsmarken 1  
DK-2970 Hørsholm









Signed by:

Rosendahl Design Group - Slotsmarken 1 – DK-2970 Hørsholm




ROSENDAHL  
DESIGN GROUP

Product number	Product name	Photo
25601	GC Oven-proof dish, small	
25602	GC Oven-proof dish, medium	
25603	GC Oven-proof dish, large	
25604	GC Oven-proof dish, round, 28 cm	
25605	GC Oven-proof bowl, 19 cm	
25606	GC Oven-proof bowl, 24 cm	

Rosendahl Design Group - Slotsmarken 1 – DK-2970 Hørsholm



ROSENDAHL  
DESIGN GROUP

Product number	Product name	Photo
25608	GC Casserole, 5.4 l	

Rosendahl Design Group - Slotsmarken 1 – DK-2970 Hørsholm



ROSENDAHL  
DESIGN GROUP

<b>Product information:</b>	<b>Yes</b>	<b>No</b>	<b>Remarks/restrictions</b>
The Product can be used for all types of food and all types of process conditions (under normal and foreseeable condition of use):	X		
<b>Suitable for:</b>			If limit (to be mentioned):
Aqueous food	X		
Acidic foods	X		
Alcoholic foods	X		
Fatty foods	X		
Dry foods	X		
The oven:	X		If yes, limit: max 300°C Maximum sudden temperature changes: 230°C
The microwave:	X		
The Dishwasher:	X		
Other		X	
<b>Test/temperature:</b>			
Specific migration tests performed	X		
<b>Temperature stable at max and min temperature:</b>	0°C – 300°C – maximum sudden temperature changes: 230°C		